ELSEVIER

Analytica Chimica Acta 377 (1998) 275–277

ANALYTICA
CHIMICA
ACTA

Author Index

Amouroux, D.
—, Tessier, E., Pécheyran, C. and Donard, O.F.X.
Sampling and probing volatile metal(loid) species in natural waters by in-situ purge and cryogenic trapping followed by gas chromatography and inductively coupled plasma mass spectrometry (P-CT–GC–ICP/MS) 241
Arbab-Zavar, M.H., see Howard, A.G. 95

Bathmann, U., see de Jong, J.T.M. 113
Bhargava, S.K., see Hind, A.R. 39
Birot, D., see Floch, J. 157
Blain, S., see Floch, J. 157
Braungardt, C.
—, P. Achterberg, E. and Nimmo, M.
On-line voltammetric monitoring of dissolved Cu and Ni in the Gulf of Cadiz, south-west Spain 205
Buck, R.P., see Nagy, G. 1
Buffle, J., see Davison, W. 193
Bulhões, L.O.S., see Faria, R.C. 21

Chamberlain, P., see Howard, A.G. 95
Chang, C.-L., see Wang, S.-P. 85
Chow, C.W.K., see Kolev, S.D. 13
Clayson, C.H., see Finch, M.S. 167
Coale, K.H., see Colbert, D. 255
Coale, K.H., see Zamzow, H. 133
Colbert, D.
—, Johnson, K.S. and Coale, K.H.
Determination of cadmium in seawater using automated on-line preconcentration and direct injection graphite furnace atomic absorption spectrometry 255
Colombo, C.
— and van den Berg, C.M.G.
In-line deoxygenation for flow analysis with voltammetric detection 229
Cosca, C.E., see Feely, R.A. 185
Cullis, P.G., see Hind, A.R. 39

Dakin, J., see Finch, M.S. 167
Davey, D.E., see Kolev, S.D. 13
Davison, W.
—, Buffle, J. and DeVitre, R.
Voltammetric characterization of a dissolved iron sulphide species by laboratory and field studies 193
de Baar, H.J.W., see de Jong, J.T.M. 113
de Jong, J.T.M.
—, den Das, J., Bathmann, U., Stoll, M.H.C., Kattner, G., Nolting, R.F. and de Baar, H.J.W.
Dissolved iron at subnanomolar levels in the Southern Ocean as determined by ship-board analysis 113
den Das, J., see de Jong, J.T.M. 113
DeVitre, R., see Davison, W. 193
Donard, O.F.X., see Amouroux, D. 241

Faria, R.C.
— and Bulhões, L.O.S.
Hydrogen ion selective electrode based on poly(1-aminoanthracene) film 21
Feely, R.A.
—, Wanninkhof, R., Milburn, H.B., Cosca, C.E., Stapp, M. and P. Murphy, P.
A new automated underway system for making high precision pCO_2 measurements onboard research ships 185
Finch, M.S.
—, Hydes, D.J., Clayson, C.H., Weigl, B., Dakin, P. and Gwilliam, P.
A low power ultra violet spectrophotometer for measurement of nitrate in seawater: introduction, calibration and initial sea trials 167
Floch, J.
—, Blain, S., Birot, D. and Treguer, P.
In situ determination of silicic acid in sea water based on FIA and colorimetric dual-wavelength measurements. 157
Freeman, C.E., see Howard, A.G. 95
Fujimoto, T., see Takeda, K. 47

Gamo, T., see Okamura, K. 125
Gebhart, E.
—, Mnich, U., Schroeder, F. and Knauth, H.-D.
Application of a new automatic event-controlled sampler for heavy metals: studies on the behaviour of particle bound heavy metals in the Elbe estuary 263
Gwilliam, P., see Finch, M.S. 167

Hind, A.R.
—, Bhargava, S.K. and Cullis, P.G.
Quantitation of quaternary ammonium compounds using electrospray mass spectrometry 39

Howard, A.G.
—, Freeman, C.E., Russell, D.W., Arbab-Zavar, M.H. and Chamberlain, P.
Flow injection system with flame photometric detection for the measurement of the dimethylsulphide precursor β-dimethylsulphoniopropionate 95
Hydes, D.J., see Finch, M.S. 167

Johnson, K.S., see Colbert, D. 255
Johnson, K.S., see Zamzow, H. 133

Karatani, H., see Okamura, K. 125
Kattner, G., see de Jong, J.T.M. 113
Knauth, H.-D., see Gebhart, E. 263
Kolev, S.D.
—, Chow, C.W.K., Davey, D.E. and Mulcahy, D.E.
Mathematical modelling of potentiometric stripping analysis. Chemical stripping in quiet solutions 13

Lapa, R.A.S.
—, Lima, J.L.F.C., Reis, B.F. and Santos, J.L.M.
Continuous sample recirculation in an opened-loop multicommutated flow system 103
Lima, J.L.F.C., see Lapa, R.A.S. 103
Lindner, E., see Nagy, G. 1
Lu, G.N., see Sedjil, M. 179

Magnuson, M.L.
Determination of bromate at parts-per-trillion levels by gas chromatography–mass spectrometry with negative chemical ionization 53
Mantoura, R.F.C., see Price, D. 145
María Santiuste, J.
Temperature effect on the characteristic solute–solvent retention interactions, calculated with Abraham's solvation model, for 16 GLC stationary phases 71
Michard, G., see Sedjil, M. 179
Milburn, H.B., see Feely, R.A. 185
Mnich, U., see Gebhart, E. 263
Mulcahy, D.E., see Kolev, S.D. 13

Nagy, G.
—, Xu, C.X., Buck, R.P., Lindner, E., Neuman, M.R. and Sprinkle, R.H.
Wet and dry chemistry kits for total creatine kinase activity using a microfabricated, planar, small-volume, amperometric cell 1
Naka, H., see Takeda, K. 47
Nakayama, E., see Okamura, K. 125
Neuman, M.R., see Nagy, G. 1
Nimmo, M., see Braungardt, C. 205
Nimmo, M., see Whitworth, D.J. 217
Nolting, R.F., see de Jong, J.T.M. 113
Nozaki, Y., see Okamura, K. 125

Obata, H., see Okamura, K. 125
Okamura, K.
—, Gamo, T., Obata, H., Nakayama, E., Karatani, H. and Nozaki, Y.
Selective and sensitive determination of trace manganese in sea water by flow through technique using luminol–hydrogen peroxide chemiluminescence detection 125
Okuzaki, J., see Takeda, K. 47

P. Achterberg, E., see Braungardt, C. 205
P. Achterberg, E., see Whitworth, D.J. 217
P. Murphy, P., see Feely, R.A. 185
Pécheyran, C., see Amouroux, D. 241
Pałys, M.J.
—, Rostek, E. and Stojek, Z.
Voltammetric investigation of the complexation equilibria in the presence of a low level of supporting electrolyte. Experiments with an inert complex 29
Prevot, F., see Sedjil, M. 179
Price, D.
—, Mantoura, R.F.C. and Worsfold, P.J.
Shipboard determination of hydrogen peroxide in the western Mediterranean sea using flow injection with chemiluminescence detection 145

Reis, B.F., see Lapa, R.A.S. 103
Rostek, E., see Pałys, M.J. 29
Russell, D.W., see Howard, A.G. 95

Sakamoto, C.M., see Zamzow, H. 133
Santos, J.L.M., see Lapa, R.A.S. 103
Schroeder, F., see Gebhart, E. 263
Sedjil, M.
—, Lu, G.N., Michard, G. and Prevot, F.
A colorimetric method with the use of BDJ detector for seawater pH measurement 179
Sprinkle, R.H., see Nagy, G. 1
Stapp, M., see Feely, R.A. 185
Stojek, Z., see Pałys, M.J. 29
Stoll, M.H.C., see de Jong, J.T.M. 113

Takeda, K.
—, Watanabe, S., Naka, H., Okuzaki, J. and Fujimoto, T.
Determination of ultra-trace impurities in semiconductor-grade water and chemicals by inductively coupled plasma mass spectrometry following a concentration step by boiling with mannitol 47
Tessier, E., see Amouroux, D. 241
Treguer, P., see Floch, J. 157

van den Berg, C.M.G., see Colombo, C. 229

Wang, S.-P.
— and Chang, C.-L.
Determination of parabens in cosmetic products by supercritical fluid extraction and capillary zone electrophoresis 85
Wanninkhof, R., see Feely, R.A. 185
Wasiak, W., see Wawrzyniak, R. 61

Watanabe, S., see Takeda, K. 47
Wawrzyniak, R.
— and Wasiak, W.
Synthesis and properties of mercaptosilicor modified by Ni(II) and Co(II) as stationary phases for capilla. complexation gas chromatography 61
Weigl, B., see Finch, M.S. 167
Whitworth, D.J.
—, P. Achterberg, E., Nimmo, M. and Worsfold, P.J.
Validation and in situ application of an automated dissolved nickel monitor for estuarine studies 217
Worsfold, P.J., see Price, D. 145
Worsfold, P.J., see Whitworth, D.J. 217

Xu, C.X., see Nagy, G. 1

Zamzow, H.
—, Coale, K.H., Johnson, K.S. and Sakamoto, C.M.
Determination of copper complexation in seawater using flow injection analysis with chemiluminescence detection 133